
## RECEIVED



## Department of Energy NOV 25 P 2: 46

ROCKY FLATS FIELD OFFICE RESPONDENCE 10808 HIGHWAY 93, UNIT A CONTROL GOLDEN, COLORADO 80403-8200

NOV 2 1 2002

02-DOE-01702

•		
DIST.	LTF	ENC
BOGNAR, E,	1	1
CROCKETT, G.		
DECK, C. A.	$\mathbf{x}$	
DEGENHART, K		
DIETER, T. J.		
DIETERLE, S. E.		
FERRERA, D.W.	×	1
FERRI, M.S.		<del> </del>
GERMAIN, A. L.	↓	-
GIACOMINI, J. J.	<del> </del>	<del> </del>
ISOM, J. H.	₩	
LINDSAY, D. C.		<del> </del> -
LONG, J. W. MARTINEZ, L.A.	<del>  -</del>	-
NAGEL, R. E.	₩	<del>                                     </del>
NORTH, K.	$\boldsymbol{\vdash}$	├─
PARKER, A.M.	夂	<del>                                     </del>
POWERS K	╇	<del>                                     </del>
POWERS, K. RODGERS, A. D.	<b>—</b>	<del> </del>
SHELTON, D.C.	攵	$\vdash$
SPEARS, M.S.	1	
TRICE, K.D.	1	
TUOR, N.R.	X	
WILLLIAMS, J. L.		
17.5		<u> </u>
NESTA, S.	<u>×</u>	
•	1	<u> </u>
KEHLER, K.	<u>×</u>	<b>-</b>
SWENSON, A	<b>\</b>	
SWENSON, K	Х.	<del></del>
BROOKS, L.	\\ \tag{\partial}	
	~	
· · · · · · · · · · · · · · · · · · ·		

Mr. Steven H. Gunderson Rocky Flats Cleanup Agreement Project Coordinator Colorado Department of Public Health and Environment 4300 Cherry Creek Drive South Denver, Colorado 80222-1530

Dear Mr. Gunderson:

Please find enclosed a completed Rocky Flats Cleanup Agreement Standard Operating Protocol (RSOP) for Component Removal Notification Form for Resource Conservation and Recovery Act Unit 13 Closure, Building 884. In accordance with the Component Removal RSOP, this letter and its enclosures are notification for RSOP implementation.

Kaiser-Hill Company, LLC, Construction or a subcontractor will conduct the work. The exact methods and process selection will be communicated with the Colorado Department of Public Health and Environment through an active consultation process including weekly south side meetings. If alternate methods to those delineated in the RSOP are planned, an additional notification will be made. The building shell, including the floor, will not be breached during component removal activities. Questions can be directed to Steve Tower at (303) 966-2133.

Sincerely,

Joseph A. Legare Assistant Manager

for Environment and Stewardship

COR. CONTROL MN. RECORD

Enclosure

Reviewed for Addressee

cc w/o Encl:

Corres. Control RFP

E. Schmitt, OOM, RFFO

S. Tower, AMP, RFFO

S. Nesta, K-H RISS Env.

K. Kehler, K-H RISS D&D P. Swenson, K-H RISS D&D

Ref. Ltr. #

T. Rehder, USEPA

cc w/ Encl:

DOE ORDER # asne

Administrative Record



ADMIN RECORD

IA-A-001175

